


SPOTNAILS®

75 YEARS
of Quality Tools & Fasteners



NPR90 21° FRAMING NAILER



Weight: 8 lbs. 6 oz.
Dimensions: 21" L x 4" W x 13-3/4" H


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
NPR90	50 - 75 Nails	2" to 3-1/2" 50mm to 90mm	.113 - .148	Restrictive

Applications:

Crating, Decking, Fencing, Framing, Pallet Manufacturing, Pallet Repair, Sheathing, Wall Paneling Construction

Features:

Uses Spotnails® 20-22° Nails, Bump Fire Plunger Included, Belt Hook Available (P-97469), Flush Drive Attachment Available (AS-99076), Rubber Grip for Comfort, Safety Glasses



NTD90 31° CLIPPED HEAD FRAMING NAILER



Weight: 8 lbs. 6 oz.
Dimensions: 16-1/2" L x 4-1/2" W x 14-1/2" H

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
NTD90	89 Nails	2" to 3-1/2" 50mm to 90mm	.113 - .148	Restrictive

Applications:

Crating, Decking, Fencing, Framing, Pallet Manufacturing, Pallet Repair, Sheathing, Wall Paneling Construction

Features:

Uses Spotnails® 31° Paper Tape Strip Nails, Bump Fire Plunger Included, Belt Hook Available (P-97469), Flush Drive Attachment Available (AS-99076), Rubber Grip for Comfort, Safety Glasses



QCND65 0° PLASTIC COLLATED NAILER



Weight: 5 lbs. 2 oz.
Dimensions: 12" L x 5-3/4" W x 13" H

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
QCND65	300 Nails	1-1/4" to 2-1/2" 32mm to 64mm	.083 - .099	Selectable

Applications:

Decking, Exterior Trim, Fencing, Pallet Manufacturing, Pallet Repair, Sheathing, Siding

Features:

Uses Spotnails® CPD 0° Plastic Insertion Nails (Duo-Fast Type), 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Nail Basket, Rubber Grip for Comfort, Safety Glasses



UCNM65 15° PLASTIC OR WIRE COLLATED NAILER



Weight: 4 lbs. 7 oz.
Dimensions: 12-1/4" L x 5" W x 12-1/2" H

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
UCNM65	300 Nails	1-1/4" to 2-1/2" 32mm to 64mm	.083 - .099	Selectable

Applications:

Decking, Exterior Trim, Fencing, Pallet Manufacturing, Pallet Repair, Sheathing, Siding

Features:

Uses Spotnails® 15° Plastic Insertion or Wire Weld Coil Nails, 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Nail Basket, Rubber Grip for Comfort, Safety Glasses



ZCN70 PALLET NAILER



Weight: 8 lbs. 2 oz.
Dimensions: 13-1/2" L x 5" W x 12-3/4" H

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
ZCN70	300 Nails	1-3/4" to 2-3/4" 45mm to 70mm	.090 - .113	Bump

Applications:

Crating, Decking, Exterior Trim, Fencing, Pallet Manufacturing, Pallet Repair, Sheathing, Wall Paneling Construction

Features:

Uses Spotnails® Pallet Nails, Adjustable Depth Control, Easy Maneuverability, Nail Basket, Rubber Grip for Comfort, Safety Glasses



VCN50 MINI CONE COIL NAILER



Weight: 5 lbs. 6 oz.
Dimensions: 11-1/2" L x 4-1/2" W x 10-1/2" H


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
VCN50	350 Nails	1-1/4" to 2" 32mm to 50mm	.083	Bump

Applications:

Fencing, Siding

Features:

Uses Spotnails® Cone Coil Nails, 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Nail Basket, Rubber Grip for Comfort



VRN45 COIL ROOFING NAILER



Weight: 5 lbs. 6 oz.
Dimensions: 12" L x 4" W x 10-1/2" H


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
VRN45	120 Roofing Nails	7/8" to 1-3/4" 22mm to 45mm	.120	Bump

Applications:

Roofing, Shingle Installation

Features:

Uses Spotnails® Coil Roofing Nails, 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Nail Basket, Rubber Grip for Comfort



MT9764 T-NAILER



Weight: 5 lbs. 9 oz.
Dimensions: 15" L x 4-1/2" W x 10-1/2" H

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
MT9764	80 T-Nails	5/8" to 2-1/2" 16mm to 64mm	.097	Restrictive

Applications:

Fastening Tack Strips to Concrete

Features:

360° Adjustable Exhaust, Adjustable Depth Control, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



SPOTNAILS - MEETING THE CHALLENGES OF TODAY'S FASTENING REQUIREMENTS

X1T8664 T-NAILER



Weight: 4 lbs. 10 oz.
Dimensions: 14-1/4" L x 3-1/2" W x 10" H

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
X1T8664	100 T-Nails	5/8" to 2-1/2" 16mm to 64mm	.086	Restrictive

Applications:
Fastening Tack Strips to Concrete

Features:
Uses **Spotnails® T08611H**, 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



XBA1564 15 GAUGE DA ANGLE FINISH NAILER



Weight: 4 lbs. 4 oz.
Dimensions: 13-1/4" L x 3" W x 9-1/4" H

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
XBA1564	100 Angle Brads	1" to 2-1/2" 25mm to 64mm	15	Restrictive

Applications:
Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Exterior Trim, Finish Carpentry, Hardwood Flooring, Trim Molding

Features:
Uses **Spotnails® 15 Gauge DA or Senco® DA Brads**, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



XB1564 15/16 GAUGE FINISH NAILER



Weight: 4 lbs. 4 oz.
Dimensions: 10" L x 3" W x 10-1/2" H


Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
XB1564	100 Brads	1" to 2-1/2" 25mm to 64mm	15/16	Restrictive

Applications:
Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Hardwood Flooring, Trim Molding

Features:
Uses **Spotnails® 15 Gauge DA or Senco® DA Brads**, 360° Adjustable Exhaust, Adjustable Depth Control, No Mar Tips, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



WB1650 16 GAUGE BRADDER



Weight: 3 lbs. 9 oz.
Dimensions: 9" L x 2-1/2" W x 9-1/2" H

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
WB1650	100 Brads	1" to 2" 25mm to 50mm	16	Restrictive

Applications:
Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Hardwood Flooring, Trim Molding

Features:
Uses **Spotnails® 16 Gauge Brads**, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses, **Long Magazine Available (WB1650LM)**



WB1850 18 GAUGE BRADDER



Weight: 3 lbs. 9 oz.
Dimensions: 9" L x 2-1/2" W x 9-1/2" H

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
WB1850	100 Brads	1" to 2" 25mm to 50mm	18	Restrictive

Applications:
Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

Features:
Uses **Spotnails® 18 Gauge AX Brads**, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses, **Long Magazine Available (WB1850LM)**



EB1832 18 GAUGE BRADDER

Weight: 2 lbs. 3 oz.
Dimensions: 10" L x 2" W x 8" H

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
EB1832	100 Brads	3/8" to 1-1/4" 10mm to 32mm	18	Bump

Applications:

Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

Features:

Uses Spotnails® 18 Gauge AX Brads, 360° Adjustable Exhaust, Aluminum Magazine, Economical, Rubber Grip for Comfort, Plastic Carrying Case

**CB1850 18 GAUGE BRADDER**

Weight: 2 lbs. 4 oz.
Dimensions: 10-1/2" L x 2" W x 9" H

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
CB1850	100 Brads	1/2" to 2" 12mm to 50mm	18	Restrictive

Applications:

Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

Features:

Uses Spotnails® 18 Gauge AX Brads, 360° Adjustable Exhaust, Easy Maneuverability, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

**TB1840 18 GAUGE BRADDER**

Weight: 3 lbs. 0 oz.
Dimensions: 9" L x 2-1/2" W x 8-1/4" H


Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
TB1840	100 Brads	1" to 1-9/16" 25mm to 40mm	18	Selectable

Applications:

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

Features:

Uses Spotnails® 18 Gauge AX Brads, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses

**CB1832 18 GAUGE BRADDER**

Weight: 2 lbs. 3 oz.
Dimensions: 10" L x 2" W x 8" H

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
CB1832	100 Brads	3/8" to 1-1/4" 10mm to 32mm	18	Restrictive

Applications:

Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

Features:

Uses Spotnails® 18 Gauge AX Type Brads, 360° Adjustable Exhaust, Aluminum Magazine, Easy Maneuverability, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

**SP2340 23 GAUGE PINNER**

Weight: 2 lbs. 9 oz.
Dimensions: 10-1/4" L x 1-1/2" W x 7-1/2" H


Tool	Pin Capacity	Pin Range	Gauge	Firing Mode
SP2340	100 Pins	1/2" to 1-9/16" 12mm to 40mm	23	Double Trigger

Applications:

Cabinet Assembly, Drawer Assembly, Furniture Assembly, Trim Molding

Features:

Uses Spotnails® 23 gauge Pins, Full Pin Range is 1/2" (12mm), 5/8" (15mm), 3/4" (18mm), 7/8" (22mm), 1" (25mm), 1-3/16" (30mm), 1-3/8" (35mm), 1-9/16" (40mm), Aluminum Magazine, Automatic Height Adjustor for Fasteners, Plastic Carrying Case, Rubber Grip for Comfort



MS2440 14 GAUGE WIDE CROWN STAPLER




Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS2440	130 Staples	7/8" to 1-1/2" 22mm to 38mm	14	Restrictive

Applications:
Truss Manufacturing

Features:
Uses Spotnails® 2400 & Paslode® GSW14 Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Rubber Grip for Comfort, Powerful, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



MS6564 15 GAUGE MEDIUM CROWN STAPLER




Weight: 5 lbs. 7 oz.
Dimensions: 14-1/2" L x 4" W x 11" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS6564	138 Staples	1-1/4" to 2-1/2" 32mm to 64mm	15	Restrictive

Applications:
Crating, Pallet Manufacturing

Features:
Uses Spotnails® 6500 & Senco® Q Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



MS7564 15 GAUGE MEDIUM CROWN STAPLER




Weight: 5 lbs. 9 oz.
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS7564	138 Staples	1-1/2" to 2-1/2" 40mm to 64mm	15	Restrictive

Applications:
Crating, Pallet Manufacturing

Features:
Uses Spotnails® 7500 & Bostitch® 1554 Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses, Long Magazine Available (MS7564LM)



X1S1640 16 GAUGE WIDE CROWN STAPLER




Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1640	150 Staples	5/8" to 1-1/2" 16mm to 38mm	16	Selectable

Applications:
Crating, Fastening Corrugated Packaging, Insulation Installation, Lathing*, Packaging, Roofing*, Shingle Installation, Wall Paneling Construction

Features:
Uses Spotnails® 1600 & Bostitch® 1652 Wide Crown Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), *Lathing Safety (AS-53085) and Roofing Safety (AS-53086) Sold Separately



X1S1650 16 GAUGE WIDE CROWN STAPLER




Weight: 5 lbs. 2 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1650	150 Staples	1" to 2" 25mm to 50mm	16	Selectable

Applications:
Lathing*, Wall Paneling Construction

Features:
Uses Spotnails® 1600 & Bostitch® 1652 Wide Crown Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), *Lathing Safety (AS-53085) Sold Separately



X1S1664 16 GAUGE WIDE CROWN STAPLER TO 2-1/2" MAX




Weight: 5 lbs. 2 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1664	150 Staples	1" to 2-1/2" 25mm to 64mm	16	Selectable

Applications:
Lathing*

Features:

Uses **Spotnails® 1600 & Bostitch® 16S2 Staples**, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), *Lathing Safety (AS-53085) Sold Separately



X1S2640 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S2640	150 Staples	5/8" to 1-1/2" 16mm to 38mm	16	Selectable

Applications:

Crating, Fastening Corrugated Packaging, Insulation Installation, Lathing*, Packaging, Roofing*, Shingle Installation, Wall Paneling Construction

Features:

Uses **Spotnails® 2600 & Paslode® GSW16 Staples**, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), *Lathing Safety (AS-53085) and Roofing Safety (AS-53086) Sold Separately



X1S2650 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 2 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S2650	150 Staples	1" to 2" 25mm to 50mm	16	Selectable

Applications:

Lathing*, Wall Paneling Construction

Features:

Uses **Spotnails® 2600 & Paslode® GSW16 Staples**, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), *Lathing Safety (AS-53085) Sold Separately



X1S3640 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S3640	150 Staples	1/2" to 1-1/2" 25mm to 38mm	16	Selectable

Applications:

Crating, Fastening Corrugated Packaging, Insulation Installation, Lathing*, Packaging, Pallet Manufacturing, Roofing*, Shingle Installation, Wall Paneling Construction

Features:

Uses **Spotnails® 3600, Senco® P, & Duo-Fast® 1700 Staples**, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), Long Magazine Available (X1S3640LM) *Lathing Safety (AS-53085) and Roofing Safety (AS-53086) Sold Separately



X1S3650 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 2 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S3650	150 Staples	1" to 2" 25mm to 50mm	16	Selectable

Applications:

Lathing*, Wall Paneling Construction

Features:

Uses **Spotnails® 3600, Senco® P, & Duo-Fast® 1700 Staples**, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), *Lathing Safety (AS-53085) Sold Separately



X1S6650 16 GAUGE MEDIUM CROWN STAPLER



Weight: 4 lbs. 8 oz.
Dimensions: 14-1/2" L x 4" W x 10" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S6650	150 Staples	5/8" to 2" 16mm to 50mm	16	Selectable

Applications:

Bedding, Cedar Shingle Installation, Crating, Door & Window Manufacturing, Millwork-Door Jamb, Plywood Wall Sheathing, Sheathing, Siding, Wall Paneling Construction

Features:

Uses **Spotnails® 6600 & 5600, Senco® N & Bostitch® 1655 Staples**, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), **Long Magazine Available (X1S6650LM)**

7/16" Crown



MS6650i 16 GAUGE INDUSTRIAL MEDIUM CROWN STAPLER



FOR EXTRA POWER!

Weight: 5 lbs. 7 oz.
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS6650i	150 Staples	5/8" to 2" 16mm to 50mm	16	Restrictive

Applications:

Bedding, Cabinet Assembly, Crating, Door & Window Manufacturing, Furniture Assembly, Millwork-Door Jamb, Plywood Wall Sheathing, Sheathing, Wall Paneling Construction

Features:

Uses **Spotnails® 6600 & 5600, Senco® N & Bostitch® 1655 Staples**, 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses, **Long Magazine Available (MS6650iLM)**

7/16" Crown



X1S76-8650 16 GAUGE MEDIUM CROWN STAPLER



Weight: 4 lbs. 8 oz.
Dimensions: 14-1/2" L x 4" W x 10" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S76-8650	150 Staples	5/8" to 2" 16mm to 50mm	16	Selectable

Applications:

Bedding, Cedar Shingle Installation, Crating, Door & Window Manufacturing, Furniture Assembly, Millwork-Door Jamb, Plywood Wall Sheathing, Sheathing, Siding, Wall Paneling Construction

Features:

Uses **Spotnails® 7600 & 8600, Paslode® GS16 & Bostitch® 16S4 Staples**, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105)

1/2" Crown



MS76-8650i 16 GAUGE INDUSTRIAL MEDIUM CROWN STAPLER



FOR EXTRA POWER!

Weight: 5 lbs. 7 oz.
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS76-8650i	150 Staples	3/4" to 2" 19mm to 50mm	16	Restrictive


Applications:

Bedding, Cabinet Assembly, Crating, Door & Window Manufacturing, Furniture Assembly, Millwork-Door Jamb, Plywood Wall Sheathing, Sheathing, Wall Paneling Construction

Features:

Uses **Spotnails® 7600 & 8600, Paslode® GS16 & Bostitch® 16S4 Staples**, 360° Adjustable Exhaust, Adjustable Depth Control, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

1/2" Crown



TS6825 18 GAUGE MEDIUM CROWN STAPLER



Weight: 2 lbs. 13 oz.
Dimensions: 9-1/2" L x 2-1/2" W x 8-1/4" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
TS6825	168 Staples	3/8" to 1" 9mm to 25mm	18	Selectable

Applications:

Cabinet Assembly, Case Backing, Drawer Assembly, Furniture Assembly, Siding*

Features:

Uses Spotnails® 5808PG-50M-L & Bostitch® SL5035 Staple, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, **TS6825S String Feed Stapler Is Available**, *TS6825V With Vinyl Siding Safety

3/8" Crown



TS5825F 18 GAUGE MEDIUM CROWN FLARE STAPLER



NEW!

Weight: 2 lbs. 13 oz.
Dimensions: 9-1/2" L x 2-1/2" W x 8-1/4" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
TS5825F	168 Staples	1" 25mm	18	Selectable

Applications:

Bedding

Features:

Uses Spotnails® 5808PG-50M-L & Bostitch® SL5035 Staple, 360° Adjustable Exhaust, Adjustable Depth Control, Hinged Nose-Plate for Easy Access, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses

5/16" Crown



WS4840 18 GAUGE NARROW CROWN STAPLER



Weight: 3 lbs. 9 oz.
Dimensions: 12" L x 2-1/2" W x 9-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
WS4840	168 Staples	1/2" to 1-5/8" 12mm to 40mm	18	Restrictive

Applications:

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Floor Underlayment, Furniture Assembly, Underlayment

Features:

Uses Spotnails® 4800, Senco® L, & Duo-Fast® 1800 Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses, **Long Magazine is Available (WS4840LM)**

1/4" Crown



TS4825 18 GAUGE NARROW CROWN STAPLER



Weight: 3 lbs. 0 oz.
Dimensions: 9-1/2" L x 2-1/2" W x 8-1/4" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
TS4825	168 Staples	3/8" to 1" 9mm to 25mm	18	Selectable

Applications:

Cabinet Assembly, Door & Window Manufacturing, Floor Underlayment, Furniture Assembly, Underlayment

Features:

Uses Spotnails® 4800, Senco® L, & Duo-Fast® 1800 Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses

1/4" Crown



TS3832 18 GAUGE NARROW CROWN STAPLER



Weight: 2 lbs. 13 oz.
Dimensions: 11-1/2" L x 2-1/2" W x 8" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
TS3832	168 Staples	1/2" to 1-1/4" 12mm to 32mm	18	Selectable

Applications:

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Floor Underlayment, Furniture Assembly, Underlayment

Features:

Uses Spotnails® 3800 Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, **Long Magazine Available Is Available (TS3832LM)**

3/16" Crown



WS4840W6 18 GAUGE NARROW CROWN STAPLER



Weight: 4 lbs. 11 oz.
Dimensions: 12" L x 2-1/2" W x 9-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
WS4840W6	168 Staples	1-3/8" 35mm	18	Restrictive


Applications:

Engineered Hardwood Floor Installation, Hardwood Flooring, Tongue & Groove Flooring

Features:

Uses Spotnails® 4811PN Nylon Coated Staples To Increase Holding Power, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

1/4" Crown



X1S1640RFH X1S3640RFH 16 GA WIDE CROWN RADIANT FLOOR STAPLERS



Weight: 9 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 36-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1640RFH	150 Staples	1" to 1-1/2" 25mm to 38mm	16	Selectable
X1S3640RFH	150 Staples	1" to 1-1/2" 25mm to 38mm	16	Selectable

Applications:


Radiant Floor Heating

Features:

X1S1640RFH Uses Spotnails® 1600 & Bostitch® 16S2 Wide Crown Staples. X1S3640RFH Uses Spotnails® 3600, Senco® P & Duo-Fast® 1700 Staples. 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Two Guide Blocks for Tubing, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105)



1" Crown



FS7550 FLOORING STAPLER FCL2650 CLEAT FLOORING TOOL



Weight: 10 lbs. 0 oz.
Dimensions: 17" L x 3-1/2" W x 21" H

Tool	Magazine Capacity	Fastener Range	Gauge	Exhaust
FS7550	100 Staples	1-1/2" to 2" 38mm to 50mm	15	Rear
FCL2650	100 Cleats	1-1/2" to 2" 38mm to 50mm	16	Rear

Applications:

Hardwood Flooring, Tongue & Groove Flooring

Features:

FS7550 Uses Spotnails® 7500 Staples & Bostitch® 15S4 Staples
FCL2650 Uses Spotnails® 26124, 26128 & 26132 'L' Flooring Cleats
Air Assisted, Rubber Mallet Included, Plastic Carrying Case, Rubber Grip for Comfort, Safety Glasses

FS7550
1/2" Crown



FCL2650
L Cleat



PS7116 PS8016 PS5016 PSA1116



Weight: 2 lb. 3 oz.
Dimensions: 8" L x 1-1/2" W x 6" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
PS7116	100 Staples	1/8" to 9/16" 3mm to 14mm	22	3/8"	Front
PS8016	100 Staples	1/8" to 9/16" 3mm to 14mm	20	1/2"	Front
PS5016	84 Staples	1/4" to 9/16" 6mm to 14mm	20	1/2"	Front
PSA1116	100 Staples	1/4" to 9/16" 6mm to 14mm	20	3/8"	Front

Applications:
PS7116: Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Frames, Poly Sheeting, Screening, Upholstery
PS8016, PS5016 & PSA1116: Insulation Installation, Picture Frames, Poly Sheeting, Roofing Felt Installation, Screening, Upholstery

Features:
PS7116 Uses Spotnails® 71 Series Staples
PS8016 Uses Spotnails® 80 Series Staples
PS5016 Uses Spotnails® 35000 & Duo-Fast® 50 Series Staples
PSA1116 Uses Spotnails® 85000 & A-11 Series Staples
 Bottom Load, Front Exhaust, Plastic Carrying Case, Rubber Grip for Comfort

IS7116



Weight: 2 lb. 2 oz.
Dimensions: 9-1/4" L x 1-1/2" W x 6" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
IS7116	100 Staples	1/8" to 9/16" 3mm to 14mm	22	3/8"	Rear

Applications:
 Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Frames, Poly Sheeting, Screening, Upholstery

Features:
IS7116 Uses Spotnails® 71 Series Staples, Bottom Load, Rear Exhaust, Rubber Grip for Comfort

JS7116LN JS5016LN



Weight: 2 lb. 5 oz.
Dimensions: 8-1/2" L x 1-3/4" W x 8" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
JS7116LN	100 Staples	1/8" to 9/16" 3mm to 14mm	22	3/8"	Front
JS5016LN	84 Staples	1/4" to 9/16" 6mm to 14mm	20	1/2"	Front

Applications:
JS7116LN: Automotive Vinyl & Interior Trim, Bedding, Picture Frames, Screening, Upholstery
JS5016LN: Picture Frames, Roofing Felt Installation, Screening, Upholstery

Features:
JS7116LN Uses Spotnails® 71 Series Staples, **JS5016LN Uses Spotnails® 35000 & Duo-Fast® 50 Series Staples**,
 Bottom Load, Front Exhaust, Plastic Carrying Case, Rubber Grip for Comfort

BS7116AF BS8016AF BS5016AF BSA1116AF



DOUBLE LENGTH MAGAZINE

Weight: 2 lb. 6 oz.
Dimensions: 15-1/4" L x 1-1/2" W x 5-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
BS7116AF	200 Staples	1/8" to 9/16" 3mm to 14mm	22	3/8"	Rear
BS8016AF	200 Staples	1/8" to 9/16" 3mm to 14mm	20	1/2"	Rear
BS5016AF	168 Staples	1/4" to 9/16" 6mm to 14mm	20	1/2"	Rear
BSA1116AF	168 Staples	1/4" to 9/16" 6mm to 14mm	20	3/8"	Rear

Applications:
BS7116AF: Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Frames, Poly Sheeting, Upholstery
BS8016AF, BS5016AF & BSA1116AF: Insulation Installation, Picture Frames, Poly Sheeting, Roofing Felt Installation, Upholstery

Features:
BS7116AF Uses Spotnails® 71 Series Staples
BS8016AF Uses Spotnails® 80 Series Staples
BS5016AF Uses Spotnails® 35000 & Duo-Fast® 50 Series Staples
BSA1116AF Uses Spotnails® 85000 & A-11 Series Staples
 Adjustable Speed For Auto Fire, Bottom Load, Fast, Lightweight, Rear Exhaust, Rubber Grip for Comfort

HSC3519A HSC3219C MANUAL CARTON CLOSING STAPLERS





Weight: 3 lbs. 12 oz.
Dimensions: 14"-1/2" L x 4-1/4" W x 11-1/2" H

Tool	Staple Capacity	Staple Range	Exhaust
HSC3519A	100 Staples	5/8" to 3/4" 16mm to 19mm	None
HSC3219C	100 Staples	5/8" to 3/4" 16mm to 19mm	None

Applications:
Carton Closing—For Use Where Compressed Air Is Not Available, Packaging

Features:
HSC3519A Uses Spotnails® CC58A & CC34A 1-3/8" Crown Carton Closing Staples
HSC3219C Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples
Easy Adjustment for Clinch Control, Staple Depth, Staple Length, Rear Load Magazine



KSC3519A KSC3219C PNEUMATIC CARTON CLOSING STAPLERS





Weight: 4 lbs. 8 oz.
Dimensions: 13" L x 4-1/2" W x 8-1/2" H

Tool	Staple Capacity	Staple Range	Exhaust
KSC3519A	100 Staples	5/8" to 3/4" 16mm to 19mm	Rear
KSC3219C	100 Staples	5/8" to 3/4" 16mm to 19mm	Rear

Applications:
Carton Closing, Packaging

Features:
KSC3519A Uses Spotnails® CC58A & CC34A 1-3/8" Crown Carton Closing Staples
KSC3219C Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples
Easy Adjustment for Clinch Control, Staple Depth, Staple Length, Rear Load Magazine



KSR3219R KSRSWC7437 PNEUMATIC CARTON CLOSING ROLL STAPLERS



Weight: 5 lbs. 15 oz.
Dimensions: 4-1/2" L x 9-1/4" W x 8-3/4" H

Tool	Staple Capacity	Staple Range	Exhaust
KSR3219R	1000 Staples	5/8" to 3/4" 16mm to 19mm	Rear
KSRSWC7437	1000 Staples	5/8" to 3/4" 16mm to 19mm	Rear

Applications:
Carton Closing, Packaging

Features:
KSR3219R Uses Spotnails® CCRR1, 1-1/4" Crown Carton Closing Staples
KSRSWC7437 Uses Spotnails® CCBR1, 1-1/4" Crown Carton Closing Staples
Air Operated Carton Closing Roll Stapler, Easy Adjustment for Clinch Control, Staple Depth, Staple Length, Rear Load Magazine



DSP103020 DSP777 DSP779 DSP5019 PNEUMATIC CARTON CLOSING PLIER STAPLERS





Weight: 4 lbs. 8 oz.
Dimensions: 14" L x 2" W x 10-1/4" H

Tool	Staple Capacity	Staple Range	Exhaust
DSP103020 DSP777	102 Staples	3/8" to 5/8" 10mm to 16mm	Side
DSP779	220 Staples	3/8" to 5/8" 10mm to 16mm	Side
DSP5019	168 Staples	3/8" to 5/8" 10mm to 16mm	Side

Applications:
Carton Closing, Fastening Corrugated Packaging, Packaging


Features:
DSP103020 Uses Spotnails® 91200 & SB103020 Staples, Heavy Duty
DSP777 Uses Spotnails® 94200 & JK777 Staples, Heavy Duty
DSP779 Uses Spotnails® 95500 & JK779 Staples, Heavy Duty
DSP5019 Uses Spotnails® 67500 & Bostitch® SB5019 Staples, Heavy Duty
Optional Clinchers Available – See Accessories, Page 16



BOT-3222C-AM BOT-3222C-PM MANUAL BOTTOMER STAPLERS



Tool	Staple Capacity	Staple Range	Crown
BOT-3222C-AM	300 Staples	5/8" to 3/4" 16mm to 19mm	1-1/4"
BOT-3222C-PM	300 Staples	5/8" to 3/4" 16mm to 19mm	1-1/4"



Applications:
Carton Closing, Foot Stapler, Packaging


Features:
BOT-3222C-AM: Arm Manual Bottomer, Foot Operated
BOT-3222C-PM: Post Manual Bottomer, Foot Operated
 Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples
 For Bottom Closing of Corrugated Cardboard Where Compressed Air is Not Available

Weight: 75 lbs.
 Dimensions: 36-1/2" L x 30" W x 53-1/4" H

BOT-3222C-AP BOT-3222C-PP PNEUMATIC BOTTOMER STAPLERS



Tool	Staple Capacity	Staple Range	Crown
BOT-3222C-AP	300 Staples	5/8" to 3/4" 16mm to 19mm	1-1/4"
BOT-3222C-PP	300 Staples	5/8" to 3/4" 16mm to 19mm	1-1/4"



Applications:
Carton Closing, Foot Stapler, Packaging

Features:
BOT-3222C-AP: Arm Pneumatic Bottomer Stapler
BOT-3222C-PP: Post Pneumatic Bottomer Stapler
 Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples
 Air-Operated Bottom Closing of Corrugated Cardboard Boxes

Weight: 80lbs.
 Dimensions: 36-1/2" L x 30" W x 53-1/4" H

X1C1008 X1C1016 RC1016 CORRUGATED FASTENERS



X1C1008

Weight: 5 lbs. 3 oz.
Dimensions: 14" L x 3-1/2" W x 9-1/4" H



X1C1016

Weight: 5 lbs. 3 oz.
Dimensions: 14" L x 3-1/2" W x 9-1/4" H



RC1016

Weight: 4 lbs. 7 oz.
Dimensions: 14" L x 2-3/4" W x 9-1/4" H

Tool	Capacity	Range	Gauge	Firing Mode
X1C1008	156 Fasteners	1/4" to 5/8" 6mm to 16mm	1/2"	Restrictive
X1C1016	120 Fasteners	1/4" to 5/8" 6mm to 16mm	1"	Restrictive
RC1016	120 Fasteners	1/4" to 5/8" 6mm to 16mm	1"	Restrictive

Applications:
X1C1008 Cabinet Assembly, Drawer Assembly, Furniture Assembly, Picture Frames

Features:
X1C1008 Uses Spotnails® FFSMICRO6, FFSMICRO8, FFS-MICRO10, FFSMICRO12, FFSMICRO15, 1/2" Crown Fasteners, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

Special Features:
X1C1008 Has A Special Angled Nose For More Precise Placement, Long Driver Blade For Deep Countersink, Hinged Nose-Plate For Easy Access

Applications:
X1C1016 & RC1016 Furniture Assembly, Hollow Core Doors, Pallet Repair, Truss Manufacturing

Features:
X1C1016 & RC1016 Uses Spotnails® 416, 616, 816 & 1016, 1" Crown Fasteners, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

Special Features:
RC1016 Is Used For Stringer Repair, Narrow Enough To Get Between Slats



X1C1008

1/2" Crown



X1C1008

1" Crown



X1C1016
RC1016

07020 CLIPPER PLIER STAPLER



Weight: 1 lbs. 0 oz.
Dimensions: 6-3/4" L x 3/4" W x 3-7/8" H

Tool	Staple Capacity	Staple Range	Gauge	Crown
07020	210 Staples	1/4" 6mm	26	1/2"



Applications: Bag Closing, Dry Cleaner Tagging, Laundry Tagging, Office Stapler, Packaging
Features: Uses Spotnails® 70001 1/2" Undulated Crown Staples For Greater Holding Power, or Spotnails® 76001 in 1/4" Length, 2-5/8" Throat Depth, All Steel Construction, Can Use Standard Office Staples, Chrome Finish, Heavy Duty, No Cords, No Hoses, No Outlets

LONG MAGAZINE TOOLS



WB1650LM

Weight: 3 lbs. 9 oz.
Dimensions: 9" L x 2-1/2" W x 9-1/2" H



X1S6650LM

Weight: 5 lbs. 2 oz.
Dimensions: 25" L x 3" W x 9" H

Tool	Capacity	Range	Gauge	Crown
WB1650LM	200 Fasteners	1" to 2" 25mm to 50mm	16	Brad
WB1850LM	200 Fasteners	1" to 2" 25mm to 50mm	18	Brad
MS7564LM	200 Fasteners	1-1/2" to 2-1/2" 38mm to 64mm	15	1/2"
X1S3640LM	300 Fasteners	1/2" to 1-1/2" 25mm to 38mm	16	1"
X1S6650LM	337 Fasteners	5/8" to 2" 16mm to 50mm	16	7/16"
MS6650iLM	337 Fasteners	1/2" to 1-5/8" 12mm to 40mm	16	7/16"
WS4840LM	300 Fasteners	1-1/2" to 2-1/2" 38mm to 64mm	18	1/4"
TS3832LM	300 Fasteners	1/2" to 1-1/4" 12mm to 32mm	18	3/16"

All Tools Have Remote Valve Options – See Accessories, Page 16

GCS8116 20 GAUGE CAP STAPLER



Weight: 4 lbs. 0 oz.
Dimensions: 14" L x 7-1/2" W x 7" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
GCS8116	200 Staples/200 Caps	5/8" 16mm	20	Bump

Applications: Housewrap Installation, Roofing, Roofing Installation, Synthetic Underlayment, Tar Paper
Features: Uses Spotnails® 136225, 3/8" Crown Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case



LCS6838 18 GAUGE CAP STAPLER



Weight: 4 lbs. 13 oz.
13-1/2" L x 9-1/2" W x 8-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
LCS6838	200 Staples/ 200 Caps	5/8" & 7/8" 16mm & 22mm 1-1/4" & 1-1/2" 32mm & 38mm	18	Selectable

Applications: Housewrap Installation, Insulation Installation, Roofing, Roofing Felt Installation, Synthetic Underlayment, Tar Paper
Features: Uses Spotnails® 136025 – 136095 Staples, 3/8" Crown Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Blue Adjustable Trigger, Clear Cap Basket, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Safety Glasses



136250 CAP NAILER



Weight: 4 lbs. 9 oz.
Dimensions: 14" L x 6" W x 9" H

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
136400	200 Caps/ 200 Nails	1" 25mm	.083	Bump

Applications: Housewrap Installation, Insulation Installation, Roofing, Roofing Felt Installation
Features: Uses 136260 1" NailPac, 360° Adjustable Exhaust, Nail Basket, Rubber Grip for Comfort, Plastic Carrying Case, Safety Glasses



136400 136401 CAP HAMMER TACKERS

by National Nail™



Weight: 2 lbs. 6 oz.
Dimensions: 17" L x 2" W x 5" H



Weight: 2 lbs. 9 oz.
Dimensions: 13-1/2" L x 5-1/4" W x 5-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Crown
136400	168 Staples/ 168 Caps	3/8" 10mm	20	3/8"
136401	168 Staples/ 168 Caps	3/8" 10mm	20	3/8"

Applications: Housewrap Installation, Roofing
Features: 136400 & 136401 Uses 136420 3/8" Crown Staples, Airless Cap System, No Cords, No Hoses, No Outlets, Rubber Grip for Comfort
Special Features: 136401 Auto Feed Cap Hammer, No Trigger to Advance Caps, Just Swing Hard




35001 84001 85000 HAMMER TACKERS



35001 Weight: 2 lbs. 10 oz.
Dimensions: 11-1/2" L x 1-1/2" W x 3-1/4" H
84001 Weight: 2 lbs. 0 oz.
Dimensions: 10-1/2" L x 1" W x 2" H
85000 Weight: 2 lbs. 10 oz.
Dimensions: 12" L x 1-1/2" W x 2" H

Tool	Staple Capacity	Staple Range	Gauge	Crown
35001	168 Staples	1/4" - 3/8"	20	1/2"
84001	125 Staples	1/4" - 3/8"	23	3/8"
85000	168 Staples	1/4" - 3/8"	20	3/8"

Applications: 35001, 84001 & 85000 Carpeting, Housewrap Installation, Insulation Installation, Poly Sheeting, Roofing, Roofing Felt Installation, Tar Paper
Features: 35001 Uses Spotnails® 35500/36505 Series Staples, Bottom Load
84001 Uses Spotnails® 84504, R19 Staples, Rear Load
85000 Uses Spotnails® 85000, A-11 Series Staples, Rear Load, Economical, Fast, Lightweight, No Cords, No Hoses, No Outlets, Portable



OPTIONAL TOOL ACCESSORIES

ANVIL ACCESSORIES

P-31071 B Type Raised Anvil
 P-31072 CL Type C Shaped Left
 P-31073 CR Type C Shaped Right
 P-31074 DR Type D Shaped Right
 P-31075 DL Type D Shaped Left

COMPACT PRESSURE REGULATOR 50 PSI

AS-97412
 For All DSP Plier Tools

BELT HOOK

P-97469

CARTON CLOSING REMOVER

P-97491

KD STANDARD SAFETY

For WS4840
 AS-99080

LATHING OR ROOFING SAFETY

For 16 Gauge Wide Crown Tools, 1-1/2" Max.
 AS-53085 For Lathing,
 AS-53086 For Roofing

VINYL SIDING ATTACHMENT KIT

AS-53088 For X1S Body Tools
 AS-99087 For 18 Gauge Medium Crown Tools

UPHOLSTERY STAPLE REMOVER

P-97482

UNIVERSAL WALKING STICK

For All L, T, W, X & X1 Body Tools
 AS-99105

MALLETS

Dead Blow P-97443
 No Mar Face P-97473

REMOTE VALVES

Air Pilot Normally On
 Air Pilot Normally Off
 24 VDC Normally Off

MOUNTING SYSTEM KIT

Custom Mounting Brackets Available

Description	X1 & M Body	C, J, S & W Body
Air Pilot N/On	AS 97290	AS 97269
Air Pilot N/Off	AS 97401	AS 97404
24 VDC N/Off	AS 97390	AS 97405

KEY CODE



DUO-FAST®



SPOTNAILS®



PASLODE®



SENCO®



BOSTITCH®



JK®/BEA®/RAPID®

SPOTNAILS FASTENERS	Spotnails® Tools	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
2-6D113 - 2-16D131 20-22" Nails 2" - 3-1/2"	NPR90 YPR90	FramePro 502 FRH, 600 FramePro 650/651/602/652 GT90RFH, SN902/952XP FramePro 702XP/752XP-FRH SN60, SN65, SN65C	CN350 SNP-83 CN-137 NSP-350F New	F21PL N95RHN KN85PP-1 N88RH/N86S RN90	5350/SRH-20 5325/SRH	FR350	NR83A (20") NR90	GRTRH350	D51850 D51845 D51844 DCN692M1 DW325PL	AN923 AN8300 AN922	SN80/90 SN883RH SN890RH GS683RH GS683H-EX	Rigid: R350CHA Fasco: F5C-RHN20-90A Fasco: F6C-RHN20-100A Fasco: F5C-RHN20-83 Fasco: F6 RHN20-90
31"-34" Paper Tape Nails .120 - .131 2-3/8" - 3"	YTD90 NTD90	SN70XP, SN951XP SN2+, SN3, SN70 FramePro 701XP/751XP FramePro 601/651/600/650 FramePro 700 FramePro 750 SN325+, SN2, SN4		N90PT F33PT N79PT	PF350 Impulse 325 Impulse 350 IM CT 5300, 5325 5350 PM5350-90S F350S, F400S GN212, SK312	FC350 FM350	NR90AA NR90AD NR83AA3 NR83AA NR90GC	GRTRH350	D51825 D51823 D51822 DWF83PT DW325PT	AN943 AN942	SN890CH/34 SN883CH/34	Rigid: R350CHA Fasco: F6 HHN 31-90 Fasco: R5C HHN 31-90
Joist Hanger Nails .131 - .148 1-1/2"		HN150 HN250		MCN150-STRAPSHOT	F250S-PP 5250/65S PP		NR65AK NR65AK(S)	GR150 GRSB150 GRSB250	DWMC150			Pneu: RN150 Pneu: RN250 Pneu: RNS150 Pneu: RNS250
CW Series Nails Flat Coil Nails .113 - .131 2-3/8" to 3-1/4"	YCN83	PalletPro 83 Coil Nailer SCN65 SCN60 SCN300	CNW-75 DCN-325/85L	N75C-1/N89C-1 N80C/N80CB N86C N100C N100CPP	F275C F325C F4250/65CP F4275/CN70 5325/CN80 P350C	Coil 350	NV83A NV83A2 NV65AB NV65AC	GRTC90	DW325C	AN901	CN70 to 2-3/4" Max CN80 CN80F to 3-1/4" Max CN100 CN890S to 3-1/2" CN890I CN665, HN90	Fasco: R5CN15W-90A Fasco: F5CCN15W90 Fasco: F5CCN15W75 Bea: T701 Bea: 900DC Bea: 800DC
CW Series Nails Pallet Nails .099 2" to 2-3/8"	MCW64 ZCN70	PalletPro 70 PalletPro 90 SCN45, SCN56 SCN60 SCN65 SCN200 SCN300 SCN60XP	CNW-75	N63CP N64CP N57C N70C N86C, N100C N70CB N80CB N100CPP	P275C P350C F4250/65CP 4275/CN70 5325/CN80 F275C F325C	Coil 250	NV65AB NV65AC	GRTCS250 GRTC90P		AN611 AN621	CN550S CN70 to 2-3/4" CN80 to 3-1/4" CN80F CN100 CN89011 CN565 CN890S	Fasco: F45C CN15W- -PS65 S.A Fasco: F5 CN15W-65 Fasco: R5 CN15W-65
CW Series Nails Flat Coil Nails .083 1-1/4" to 2-1/4"	LCN57 UCNM65	PalletPro 57F Coil Nailer SCN45 SCN49		N64C N65CP N66C N55C, N50C	3225			GRTC57 GRTC90			HN65 CN65 CN55	Fasco: R4 CN15W-50
CWC Nails Cone Coil Nails .083 1-1/4" to 2"	VCN50	SCN45					NV50A1				CN502	
CW Series Nails .090 Wire Weld 304 SS Nails, 1-1/2" to 2-1/2"	VCN50	SCN45 SCN49 SCN55 SCN56		N50C N55C NC65CP			NV65AB NV75AG	GRTCS250	DW66C-1		CN55 CN560S CN665	
CRN08G-CRN14G Roofing Coil Nails 1" to 1-3/4"	VRN45	SCN200R SCN40R RoofPro 450 RoofPro 455XP	DRN-45 RN-175A	N12B RN45, RN46 RN45B N12-40	3175/44RCU R175C	134R RN175 RN175A	NV45AE(S) NV45AB NV45AC NV45AB2	GTRCR175	D51321 DW45RN	AN451	CN445R CN450R	Rigid: R175RNA Fasco: F3C CN15W-32 Fasco: R4 CN15W-45 Fasco: F4CN15W-45
CPD Series Nails 0° Degree Coil Plastic Duo-Fast 1-3/4" to 2-1/4"	QCND65		DCN-225 KDN-50A RCN-60 RCN-70/60A CNP-60Y CNP-65Y RCN-60/225ADJ					GRTCS250Z				
CPM Nails Plastic Coil - Max Type 2.25 x .092		SCN45 SCN56 SCN55S SCN49		N63CP N66C		Coil250	NV65AH HV75AG	GRTCS250		AN611	CN4525K CN552S, CN565S CN565D, CN890S HN65	Fasco: F45C CN15WPS-65
T08611H T-Nails 11/16"	XT8664 X1T8664			M111812CNCT MA-097-T								Fasco: F45C NT-70 SS
1508APB/APG-1520APB/APG 15 Gauge DA Angle Brads 1" to 2-1/2"	XBA1564	FinishPro 41XP, 42XP SFN40 FinishPro 35 SFN1, SNF1+ SN1, SFN30, SFN2B Airfree 41	DAFN-6480			DA250A DA250B DAFN- 6480 CDA250	NT65MA3 NT65MA2 NT65AA NT65MA MT65GA NT65GBP9	GRTAN25	D51275 D51276K DC628K DWF72155	AF633 AF631 AF632	NF-550/15-65	Rigid: R250AFA Fasco: F3C BA-50 Fasco: F4 BA-65 Fasco: R3C BA-50C Fasco: R4 BA-65 Fasco: F48A-65CT
1512-1520 15 Gauge Brads 1-1/2" to 2-1/2"	XB1564											
1510FNG-1520FNG 15 Gauge FN Brads 1-1/4" to 2-1/2"	XBFN64			N60FN N62FN							NF510/15-50	
16210FNG-16220FNG 16 Gauge Angle Brads 1-1/4" to 2-1/2"				N52FN	T250A-F16 T250-F16 3250-F16		DWFP72155		DC618K Cordless DC614KA Cordless DCN660B		NF510/15-50	

SPOTNAILS FASTENERS	Spotnails® Tools	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	DeWalt®	Makita®	Max®	Other
16512-16540 16 Gauge Brads 3/4" to 2-1/2"	WB1650 XB1564	Finish Pro 32	Sure Shot 764 LFN-748A 1-1/2" LFN-764A-2" BFN-740	FN1664K FN16250K-2 SB-1664-FN T40-B T36-50 T35-40	T250-F-16 3250-F16 IM250-F16 MU-112, F16200 MU-212-F	FN250 FN250A FN250B FN200	NT65M2 NT65A3 NT65S NT65A2 NT65A, NT65GSP9	GRTFN250	D51256 DC51257K DC612KA Cordless DC616KA Cordless		NF 352-ST/16-50	Rigid: R250SFA Haubold: SKS64A/16 Omer: 14.63NS, 14.50 Fasco: F3C FN-50A Fasco: F26C FN-50 Fasco: F3P FN50
18508-18532 (AX) 18 Gauge Brads 1/2" to 2"	WB1850 TB1840 CB1832 CB1850 EB1832	Finish Pro 15XP Finish Pro 18 XP Finish Pro 2N1 Finish Pro 25XP LS4 LS5 SLP20/LS1 SDN18BR	BB-4440 DBN-40525C Pro-5 DBN-4440 DBN-4450 SureShot 4450 SureShot 4450ST	BT1855K BT35B BT50B BT125SK BT200K T29-30,T31-1 SB01842BN SB01850BN SB-21N1	T125-F18 T200-F18 Cordless 901000 2138-F18 2138-F18II IM200-F18	BN125A BN138 BN200A/B BN200V12	NT45A NT32AE NT50AD NT50AE	GRTBN200	D51238 D51236K DC608K DC608B DC608K DWFP12233 DWFP12231	AF501 AF502 AF503 AF505	NF 211/18-25 NF 211/18-50 NF 221/18-55 NF255-ST/18 NF201/18-35 (PX Only)	Rigid: R213BNA Omer: 12.20, 12.40 Omer: 12.50 Fasco: R3C-GN-50 Fasco: F21T GN-40A Fasco: F20 TGN-40 Fasco: F25A GN-40 Fasco: F26C GN-50
18508-18516 (AY) 18 Gauge Brads, 1/2" to 1"		SLP20, LS4/LS5 Finish Pro 25XP						F21T GN-40A CT				
18508 (AZ) 18 Gauge Brads, 1/2"		LS1, SLP20XP	SureShot 2232									Fasco: F21P GA15/31A
23005-23032 23 Gauge Headless Pins 5/16" to 2"	SP2325 SP2340	SHP10 Finish Pro 10 Finish Pro 11	SureShot 2336	HP118K		Pin 100 Pin 138	NP35A	GRTPIN23		AF201Z	NF235A/23-35	Omer: PR.18, P25, PR.28 Fasco: F1B A64 12/18 Rigid: R138HPA Cadex: CP-23-30 Cadex: CP-23-35 Cadex: CP-23-50 Grex: P650, P645 Grex: P635
1407PGH 14 Gauge 1" Wide Crown Staples, 7/8"				538S214								
2407PGH-2410PGH 15/16" Wide Crn, High Tensile 7/8" to 1-1/4"	MS2440				4150-W14 MU-112-W14							
7512-7520 15 Gauge 1/2" Med Crn Staples, 1-1/2" to 2-1/2"	FS7550 MS7564		FloorMaster- -200-S	MIII-FS			N5009AF	GR200FS	DWMIIIFS			Primatech: P260 Primatech: P220
6510-6520 15 Gauge 7/16" Med Crn Staples, 1-1/4" to 2-1/2"	MS6564	SQS55XP	MS-1580D									
1605-1620 16 Gauge 1" Wide Crown Staples, 5/8" to 2-1/2"	XS1640 XS1650 XS1640RFH X1S1640 X1S1650 X1S1640RFH X1S1664			438S2R T35-8 T35-32 450S2R T40S2-CT T50S2-1						AT2550A		Omer: WS.38 Fasco: F3C ATW-38
2605-2616 16 Gauge 15/16" Wide Crn Staples, 5/8" to 2"	XS2640 XS2650 X1S2640 X1S2650				S150-W16R S200-W16 MU-112-W16R 3150-W16 3150-W16R 3200-W16		N5021A	GRTS1516				Omer: WK.38 Fasco: F3C PSW-38R Fasco: R3C PSW-39CT
3604-3616 16 Gauge 1" Wide Crown Staples, 1/2"-2"	XS3640(LM) XS3650 XS3640RFH X1S3640(LM) X1S3650 X1S3640RFH	MW, MWXP-1, PW, PW-2" PW-R, PW 200 PW150/R SPS, SPS-RFR	KW-1748 RNS-1748I RS-1748 SW-1748				N5024A N3824A		GRTS1200			Omer: WP.38 Fasco: R3C SNW-38TL Fasco: F3C SNW-38R
6605-6616 16 Gauge 7/16" Med Crn Staples, 5/8" to 2"	XS6650(LM) MS6650i X1S6650(LM)	M1, M2+, M2 SKS N12-N17 SNS45, SNS40, SNS41 SNS44XP, SNS45XP SNS50, SKSXP-N		438S5 538S5 650S5 T40S5 750S5		MS200	N5008AB N5008AC		D51430 GRTSM200	AT1150A	TA551A/16-11 TA551/16-11	Fasco: F4 PG-50 Fasco: F45C G-55 Fasco: R3 CG-40CT Fasco: R4 PG-50CT Fasco: F45C B7-55 SS
7605-7616 16 Gauge 1/2" Med Crn Staples, 5/8" to 2"	XS76-8650 MS76-8650i X1S76-8650			750S4 850S4 T55S4-1 T40S4-CT T36-1, T36-50 650S4 T50S4-1 438S4, T38								
8605-8616 16 Gauge 1/2" Med Crn Staples, 5/8" to 2"	XS76-8650 MS76-8650i X1S76-8650				IM200-S16 S200-S16 MA-S16L 3200-S16 3200-S16P 3150-S16 PA-200				D51431			Fasco: R3C HD-40 VIL-SID Fasco: F45C GC/16-SS
5620-5664 16 Gauge 7/16" Med Crn Staples, 5/8" to 2"	XS6650(LM) MS6650i X1S6650(LM)		KS-7648 1-1/2" MS-7664E 2" DS-7666P 1-3/4" DS-7664P 2" SM-7648 SM-7664		3150/38 116 GSI 3150 3200-116 MA-GS116	MS200	N5008AC/P N5008AB			AT1150A	TA551/76	


SPOTNAILS FASTENERS	Spotnails® Tools	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
6712 17 Gauge 7/16" Med Crn Staples, 1-1/2"	XS6650(LM) MS6650I X1S6650(LM)	M1, M2+, M2 SKS N12-N17 SNS45, SNS40, SNS41 SNS44XP, SNS45XP SNS50, SKSXP-N		438S5 538S5 650S5 T40S5 750S5		MS200	N5008AB N5008AC	GRTSM200	D51430	AT1150A	TA551A/16-11 TA551B/16-11	Fasco: F4 PG-50 Fasco: F45C G-55 Fasco: R3 CG-40CT Fasco: R4 PG-50CT Fasco: F45C B7-55 SS
5803-5812 18 Gauge 5/16" Medium Crn Staples, 3/8" to 1-1/2"	TS5825F			S32SL SL150 SB150SLBC								BeA: 92/25-553 BeA: 92/40-722 Fasco: F22A 92-25
6803-6812 18 Gauge 3/8" Medium Crn Staples, 3/8" to 1-1/2"	TS6825 TS6825S TS6825V	SKS-M SLS20-M SLS25-M	DMS-W1832 SS W1848									Fasco: F21T SG-25
4803-4813 18 Gauge 1/4" Narrow Crn Staples, 3/8" to 1-5/8"	WS4840 TS4825 WS4840W2 WS4840W4 WS4840W6	SLS15MG SKSN4450 KMN4450 SLS25XP LN4450, SKS L FinishPro 2N1 SLS18, SLS20	SureShot 1848F SureShot 1832 SureShot 1848 KB-1836 SureShot 1848SL KN1848A BN-1832 DNS-1840			NS100 NS150 NSS150 NS100B NS100A NS150A NS150B	N3804AB2/3 N3804AB	GRTSN150	D51420K D51422K DWFP1838	AT638	TA238/18-6	Rigid: R150FSA Kihlberg: PN6040V Fasco: F20P 90-25 Fasco: F20T 90-30 CT Fasco: F20T 90-40 CT Fasco: R3C 90-40 CT
4811PN 18 Gauge 1/4" Narrow Crn Staples, 1-3/8"	WS4840W2 WS4840W4 WS4840W6											
1804-1812 18 Gauge 7/32" Narrow Crn Staples, 1/2" to 1-1/2"				S32SX SX150 SX1838K								
3804-3810 18 Gauge 3/16" Narrow Crn Staples, 1/2" to 1-1/4"	TS3832 AF3807S											Fasco: F3 38-30CT
2806-2812 GSN Series 18 Gauge 3/16" Narrow Crown, 3/4" to 1-1/2"						2125118 MU112-N18 2118-N18 2125-N18 3150-N18 S150-F18						
416-616-816-1016 1" Wide Corrugated Fasteners, 416-1/4" 616-3/8" 816-1/2", 1016-5/8" Lengths	XC1016 RC1016 X1C1016	SC2	DCF-100A	BA-T358								Fasco: R4P CF-12CT Fasco: F45C CF9-15SS (CT) BeA: WM
FFSMICR06-FFSMICR015 1/2" Crn Corrugated Fasteners 1/4" to 5/8"	XC1008 X1C1008											
TABLEX15B Flex Points 5/8"												Omer: T53-Tab Tool
CC-A Carton Closing Staples 1-1/4" Crown 5/8" to 7/8"	HSC3519A KSC3519A			T541202 T541302 T541402 T551212 T551312								CCC: HC-A, AC-A ISM: HB100T, AB100T Kihlberg: a.560M Kihlberg: a.560M22 Kihlberg: a.560PN Kihlberg: a.560PN22 Klinch-Pak: KP-APN Klinch-Pak: KP-APN22 Klinch-Pak: KP-AM
CC-C Carton Closing Staples 1-1/4" Crown 5/8" to 3/4"	HSC3219C KSC3219C BOT-3222C-AM BOT-3222C-PM BOT-3222C-AP BOT-3222C-PP			T542202 T542302 T552212 T552312								BeA: AT-C18 CCC: HC-C, AC-C Kihlberg: 561/56PN Kihlberg: a.561M Kihlberg: a.561M22 Kihlberg: a.561PN Kihlberg: a.561PN22 Klinch-Pak: KP-CN Klinch-Pak: KP-CM ISM: HB150T, AB150T
CCB7437 Carton Closing Staples 1-3/8" Crown 5/8" to 3/4"				D16-2 D16-2AD F84 DS-3522								
CCRR1 Carton Closing Roll Staples, 1-1/4" Crown 5/8" to 3/4"	KSR3219R											CCC: RC1000 Kihlberg: R557PN Klinch-Pak: KP-RR1
CCGR1 Carton Closing Roll Staples, 1-1/4" Crown 5/8" to 3/4"	KSR3219G											Klinch-Pak: KP-GR1 ISM: RA1000T
CCBR1 Carton Closing Roll Staples, 1-3/8" Crown 5/8" to 3/4"	KSRSWC7437			D60ADC D61ADC, D62ADC								Klinch-Pak: KP-SWC
136025-136095 Cap Staples, 5/8" to 1-1/2"	TCS6832 LCS6838											
136225 Cap Staples, 5/8"	GCS8116											

SPOTNAILS FASTENERS	Spotnails® Tools	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
136420 StaplePac, 3/8"	136400 136401											
136260 Cap Nails, 1"	136250											
26124-26132 16 Gauge Flooring 1' Cleat 1-1/2" to 2"	FCL2650	SHF50/15/10	FloorMaster- -200-C	HFN1 MIIIFN MFN200		FCN200		GR200LCN				Powernail: 445/445Flex Powernail: 45/45R Primatch: P210/P240
28220-28128 18 Gauge Flooring 1' Cleat 1-1/4" to 1-3/4"												Powernail: 50P Powernail: 50M Flex Primatch: Q550 Primatch: Q500 Primatch: Q510
U Crown Mattress Staple 16 Gauge 3/8" Wide Crn, 3/4"				BCAR-2S BCAR1B-495-92L								
Hog Rings 69012 D-Ring, 3/4"	RH22			TR201 TR203								BeA: HR60-22 King Hughes: KRF-G22
Hog Rings 69020 C-Ring, 3/4"				SC7 SC7C								
31002-31009 3/8" Crown Fine Wire 1/8" to 9/16" Similar to 31 Series			SS 3118 SS3118 DLAF									Fasco: F1A31-16
33004 3/8" Crown Fine Wire Staple 1/4" Similar to 33 Series			EIB-3318									
34510H-34512H 3/16" Crn-High Tensile Fine Wire Staple 5/8" to 3/4" Similar to 34 Series			SureShot-3424									
35504-35509/36505 1/2" Crown Fine Wire Staple 1/4" to 9/16" Similar to 50 Series	35000 DS5016, JS5016 JS5016LN BS5016AF 35001 PS5016		SS5020 SS5020S SS 5020 DLAF HT550, CT859									BeA: 95/14 Kihlberg: 64 Fasco: F1A 50-16
32506-32509/34509 3/16" Crown Fine Wire Staple 3/8" to 9/16" Similar to 54 Series			SS 5424 ENC-5418 BN-5424	CR1000E								Fasco: F1A 54DF-18 Fasco: F1B 54DF-18
37506-37516 3/16" Crown Fine Wire Staple, 3/8" to 1" Similar to 64 Series			SS6432									Fasco: F21P 64DF-25A
30207H-30212H 1/2" Crn-High Tensile Fine Wire Staple 7/16" to 3/4" Similar to 65 Series			SureShot6524									
38506-38509/35706 1/2" Crown Fine Wire Staple 3/8" to 9/16" Similar to 75 Series	35700		HT755									
91206-91210 1/2" Crown Fine Wire Staple 3/8" to 5/8" Similar to SB103020	DSP103020			P50-10B								
83506 3/8" Crown Fine Wire Staple, 3/8" Similar to SHCR5019				H3B								
82504-82509 7/16" Crown Fine Wire Staple 1/4" to 9/16" Similar to STCR5019				PC2K H30-8D6 H30-8, T5-8 ET5, T15								Kihlberg: R-19 Fasco: F1BSR5-16
81504-81508 3/8" Crown Fine Wire Staple 1/4" to 1/2" Similar to STCR2619				H30-6 T5-6 P6C-6 PC3000-0C2								
67504-67508 1/2" Crown Fine Wire Staple 1/4" to 1/2" Similar to SB5019	DSP5019	DFF, J5 SPW10XP-F SJS-F SJ10-F		P51-5B-E P50-5B								Fasco: F1A SR5-16
78504 1/4" Fine Wire Staple Similar to STCR2115				B-8P								
73004 3/8" Crown Fine Wire Staple 1/4" Similar to SP19				P-3								


SPOTMAILS FASTENERS	Spotnails® Tools	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
97506-97516 3/16" Crown Fine Wire Staple 3/8" to 1" Similar to 97 Series	TEM2132			LHF97125-2 BA-T407, BA-T510 S3297		FCN200		GR200LCN				
85504-85509/86506 3/8" Crown Fine Wire Staple 1/4" to 9/16" Similar to A-11/T-50	85000 JSA1116 BSA1116AF PSA1116	H Slap Hammer	Slapshot	PHT150C TR100 TRE500								Arrow: T-50, HT-50 Rapid: A-11, R-11 Fasco: F1A A11-16 Fasco: Auto L/M
84504 3/8" Crown Fine Wire Staple 1/4" Similar to Rapid 19, 28, 30	84000 84001											Rapid: R-19
94206-94210 1/2" Crown Fine Wire Staple 3/8" to 5/8" Similar to JK777	DSP777											Kihlberg: JK-20T-L
95506-95510 1/2" Crown Fine Wire Staple 3/8" to 5/8" Similar to JK779	DSP779											Kihlberg: JK-20T JK-20T-L
77505 1/2" Crown Fine Wire Staple 5/16" Similar to 24/8 Staples												Zenith Plier Staples Rapid R-1 Binding Stapler
74001 1/2" Crown Fine Wire Staple 1/4" Similar to 26/6 Standard Staple												Office Staplers
70001 1/2" Crown Fine Wire Staple 1/4" Undulated Staples	07020											
87002-87009 3/8" Crown Fine Wire Staple 1/8" to 9/16" Similar to 71 Series	DS7116 JS7116, IS7116 JS7116LN BS7116AF PS7116	SJS JG SFTB	BN5424	21671B 21671B-LN 21671B-A 21671B-ALM		US58						BeA: 71/14 Kihlberg: 20/670 Haubold: PN814 Fasco: F1B 7C-16, F23G-16
98004-98009 1/2" Crown Fine Wire Staple 1/4" to 9/16" Similar to 80 Series	DS8016 JS8016 JS8016LN BS8016AF PS8016			21680B 21680BLN 21680B-ALM								BeA: 80 Haubold: PN814 Kihlberg: JK-20-680
99004-99009 3/8" Crown Fine Wire Staple 1/4" to 9/16" Similar to 1400 Series												Haubold: PN1416F Haubold: PN141G

COMMON TYPES OF STAPLES


Chisel Point




Cross Chisel





Divergent Point





Outward Clinch





21° ROUND HEAD NAILS		
	Stock #	Length
	2-8D113SSR	2-3/8"
	2-10D120SSR	3"
	2-12D120SSR	3-1/4"


JOIST HANGER NAILS		
	Stock #	Length
	TRJ4D148SS-2M	1-1/2"


ROOFING NAILS		
	Stock #	Length
	CRN10SSR-3.6M	1-1/4"
	CRN12SSR-3.6M	1-1/2"
	CRN14SSR-3.6M	1-3/4"


COIL FENCING NAILS		
	Stock #	Length
	CW4D090SSR-3.6M	1-1/2"
	CW5D090SSR-3.6M	1-3/4"
	CW5.5D090SSR-3.6M	1-7/8"
	CW6D090SSR-3.6M	2"
	CW7D090SSR-3.6M	2-1/4"
	CW8D090SSR-3.6M	2-1/2"


15 GAUGE DA ANGLE BRADS 1M Clamshell Pack		
	Stock #	Length
	15112APS	1-1/2"
	15116APS	2"
	15120APS	2-1/2"


15 GAUGE FN ANGLE BRADS 1M Clamshell Pack (Bostitch®)		
	Stock #	Length
	15112FNS	1-1/2"
	15116FNS	2"
	15120FNS	2-1/2"


16 GAUGE ANGLE BRADS 1M Clamshell Pack		
	Stock #	Length
	16112FNS	1-1/2"
	16116FNS	2"
	16120FNS	2-1/2"


16 GAUGE BRADS 2.5M Boxes		
	Stock #	Length
	16224SS	1-1/2"
	16232SS	2"
	16240SS	2-1/2"


16 GAUGE BRADS 1M Clamshell Pack		
	Stock #	Length
	16124SS-8M	1-1/2"
	16132SS-8M	2"
	16140SS-8M	2-1/2"


16 GAUGE BRADS 316 SS 1M Clamshell Pack		
	Stock #	Length
	16124SS-8M-316	1-1/2"
	16132SS-8M-316	2"
	16140SS-8M-316	2-1/2"


18 GAUGE AX BRADS 1M Clamshell Pack		
	Stock #	Length
	18110SS-8M	5/8"
	18112SS-8M	3/4"
	18116SS-8M	1"
	18120SS-8M	1-1/4"
	18124SS-8M	1-1/2"
	18132SS-8M	2"


23 GAUGE PINS 3M Clamshell Pack		
	Stock #	Length
	23308SS	1/2"
	23312SS	3/4"
	23316SS	1"


15 GAUGE STAPLES (Bostitch®)		
	Stock #	Length
	7516PS-4.5M	2"


15 GAUGE STAPLES (Senco® Q/Duo-Fast®)		
	Stock #	Length
	6520PS-6.2M	2-1/2"


16 GAUGE 15/16" WIDE CROWN STAPLES (Paslode®)		
	Stock #	Length
	2608PS-10M	1"

16 GAUGE 1" WIDE CROWN STAPLES (Senco® P/Duo-Fast®)		
	Stock #	Length
	3608PS-10M	1"

16 GAUGE 7/16" MEDIUM CROWN STAPLES (Senco® N/Bostitch® S5)		
	Stock #	Length
	6608PS-10M	1"
	6610PS-10M	1-1/4"
	6612PS-10M	1-1/2"
	6614PS-10M	1-3/4"
	6616PS-10M	2"

16 GAUGE 1/2" MEDIUM CROWN STAPLES (Spotnails®/Bostitch®)		
	Stock #	Length
	7610PS-10M	1-1/4"
	7612PS-10M	1-1/2"
	7614PS-10M	1-3/4"
	7616PS-10M	2"

16 GAUGE 1/2" MEDIUM CROWN STAPLES (Paslode® GS)		
	Stock #	Length
	8608PS-10M	1"
	8609PS-10M	1-1/8"
	8610PS-10M	1-1/4"
	8612PS-10M	1-1/2"
	8614PS-10M	1-3/4"
	8616PS-10M	2"

16 GA 7/16" MEDIUM CROWN STAPLES (Spotnails®/Duo-Fast®/Paslode® GSI)		
	Stock #	Length
	5636PS-10M	1-1/8"
	5640PS-10M	1-1/4"
	5648PS-10M	1-1/2"



18 GAUGE 1/4" NARROW CROWN STAPLES (Spotnails®/Duo-Fast®/Senco®)

Stock #	Length
4803PS-50M	3/8"
4805PS-25M	5/8"
4806PS-25M	3/4"
4807PS-25M	7/8"
4808PS-25M	1"
4810PS-25M	1-1/4"
4812PS-25M	1-1/2"

16 Gauge Flooring 'L' Cleat

Stock #	Length
26132SS	2"

FINE WIRE STAPLES (Duo-Fast® 31 Series)

Stock #	Length
31004SS	1/4"
31006SS	3/8"

FINE WIRE STAPLES (Duo-Fast® 50 Series)

Stock #	Length
35504SS	1/4"
35506SS	3/8"
35508SS	1/2"
36504SS	1/4" Div. Pt.
36506SS	3/8" Div. Pt.
36508SS	1/2" Div. Pt.

FINE WIRE STAPLES (Rapid® A-11/Arrow® T-50 Series)

Stock #	Length
85506SS	3/8"

FINE WIRE STAPLES (71 Series/Senco® C)


Stock #	Length
87003SS	3/16"
87004SS	1/4"
87006SS	3/8"
87008SS	1/2"

FINE WIRE STAPLES (80 Series)

Stock #	Length
98004SS	1/4"
98006SS	3/8"
98008SS	1/2"

SPOTNAILS®

75 YEARS
of Quality Tools & Fasteners



Contact Us:

1100 Hicks Road • Rolling Meadows, IL 60008

Phone: 800-873-2239

Fax: 800-369-2588

Visit Our Website:

SPOTNAILS.com

For the Dealer Nearest You:

SPOTNAILS.com/dealer-locator

Phone: 800-873-2239